Adams, M. B., D. S. Nichols, C. A. Federer, K. F. Jensen, and H. Parrott (1991), Screening procedure to evaluate effects of air pollution on Eastern Region wildernesses cited as Class I air quality areas, General technical report NE-151, 33 pp, USDA Forest Service, Radnor, PA.

Adams, M. B., L. H. Loughry, and L. L. Plaugher (2004), Experimental forests and ranges of the USDA Forest Service, General technical report NE-321, 178 pp, USDA Forest Service, Newtown Square, PA.

Adams, M. B., L. H. Loughry, and L. L. Plaugher (2008), Experimental forests and ranges of the USDA Forest Service NE-321, 183 pp, USDA Forest Service, Newtown Square, PA.

AGU (1965), Inventory of representative and experimental watershed studies conducted in the United States. Symposium on representative and experimental watersheds, September 28-October 5, 1965, Budapest, Hungary, 153 pp, American Geophysical Union, Washington, DC.

Alban, D. H., G. E. Host, J. D. Elioff, and D. A. Shadis (1994), Soil and vegetation response to soil compaction and forest floor removal after aspen harvesting, Research paper NC-315, 8 pp, USDA Forest Service, Saint Paul, MN.

Anderson, J., N. Baratono, A. Streitz, J. Magner, and E. S. Verry (2006), Effect of historical logging on geomorphology, hydrology, and water quality in the Little Fork River watershed, 73 pp, Minnesota Pollution Control Agency, St. Paul, MN.

Andréassian, V. (2004), Waters and forests: from historical controversy to scientific debate, *J. Hydrol.*, *291*(1-2), 1-27, doi:10.1016/j.jhydrol.2003.12.015.

Appleby, F. V. (1974), A determinate model for runoff as a nonlinear system, in *Mathematical Models in Hydrology / Modèles mathématiques en Hydrologie, Proceedings of a symposium held at Warsaw, July 1971*, edited, pp. 667-687, International Association of Hydrological Sciences, Great Yarmouth, UK.

Barten, P. K. (1985), Testing and refinement of the Peatland Hydrologic Impact Model, MS thesis thesis, 63 pp, University of Minnesota, Saint Paul, MN.

Barten, P. K., K. N. Brooks, and T. W. Hieb (1987), User manual for the Peatland Hydrologic Impact Model, Microcomputer version 2.0, 178 pp, Department of Forest Resources, University of Minnesota, Saint Paul, Minnesota.

Barten, P. K. (1988), Modeling streamflow from headwater catchments in the northern Lake States, PhD dissertation thesis, 305 pp, University of Minnesota Twin Cities, Saint Paul, MN.

Barten, P. K., and K. N. Brooks (1988), Modeling streamflow from headwater areas in the northern Lake States, in *Modeling agricultural, forest, and rangeland hydrology*, edited, pp. 347-356, American Society of Agricultural Engineers.

Bartlett, K. B., and R. C. Harriss (1993), Review and assessment of methane emissions from wetlands, *Chemosphere*, *26*(1-4), 261-320, doi:10.1016/0045-6535(93)90427-7.

Bay, R. R. (1961), How much water in a swamp, *Conservation Volunteer*, 48-51.

Bay, R. R. (1962), Establishment report, Marcell Experimental Forest (Chippewa National forest and adjacent private, Itasca County, and State of Minnesota lands), 26 pp, USDA Forest Service, Grand Rapids, MN.

Bay, R. R., and R. A. Klawitter (1963), What's new in wetland hydrology, *Proceedings Society of American Foresters*, 175-177.

Bay, R. R. (1966), Evaluation of an evapotranspirometer for peat bogs, *Water Resour. Res.*, *2*(3), 437-441.
Bay, R. R. (1967), Ground water and vegetation in two peat bogs in northern Minnesota, *Ecology*, *48*(2), 308-310.
Bay, R. R. (1967), Factors influencing soil-moisture relationships in undrained forested bogs, in *Forest hydrology*, edited by W. E. Sopper and H. W. Lull, pp. 335-342, Pergamon Press, New York.
Bay, R. R. (1967), Interpretation of fundamental hydrologic relationships of forested bogs in northern Minnesota, PhD thesis, 116 pp, University of Minnesota, Saint Paul, MN.
Bay, R. R. (1967), Techniques of hydrologic research in forested peatlands, USA, in *Proceedings of the XIV IUFRO Congress, Munich, Germany, September 1967. Section 11*, edited, pp. 400-415, IUFRO.
Bay, R. R. (1968), The hydrology of several peat deposits in northern Minnesota, USA, in *Proceedings of the Third International Peat Congress*, edited, pp. 212-218, National Research Council of Canada, Quebec, Canada.
Bay, R. R. (1968), Evapotranspiration from two peatland watersheds, in *Geochemistry, precipitation, evapotranspiration, soil-moisture, hydrometry. General Assembly of Bern*, edited, pp. 300-307, UNESCO / IAHS, Paris, France.
Bay, R. R. (1969), Runoff from small peatland watersheds, *J. Hydrol.*, *9*(1), 90-102, doi:10.1016/0022-1694(69)90016-X.
Bay, R. R. (1969), Hydrologinen tutkimus yhdysvaltain pohjoisosien soilla, *Suo*, *5*, 81-85.
Bay, R. R. (1970), Water table relationships on experimental basins containing peat bogs, in *Symposium on the results of research on representative and experimental basins. Proceedings of the Wellington Symposium, December 1970*, edited, pp. 360-368, IAHS / UNESCO, Paris, France.
Bay, R. R. (1970), Water resources research in Minnesota by the North central Forest Experiment Station, USDA Forest Service, in *Proceedings of conference on ongoing water resources research in Minnesota, March 1970, Minneapolis, Minnesota*, edited, pp. 50-56, Water Resources Research Center, University of Minnesota, Saint Paul, MN.
Benyus, J. M. (1995), Bog breath: Sleeper factor in global warming?, *Am. Forests*, *101*(3-4), 28-31, 39.
Berglund, E. R. (1970), Vegetative influence on the diurnal and seasonal availability of solar energy to peatland, dissertation thesis, 144 pp, University of Minnesota, St. Paul, MN.
Berglund, E. R., and A. C. Mace (1972), Seasonal albedo variation of black spruce and sphagnum-sedge bog cover types, *J. Appl. Meteorol.*, *11*(5), 806-812, doi:10.1175/1520-0450(1972)011<0806:SAVOBS>2.0.CO;2.
Berglund, E. R., and A. C. Mace (1976), Diurnal albedo variation of black spruce and sphagnum–sedge bogs, *Can. J. Forest Res.*, *6*(3), 247-252, doi:10.1139/cjfr-6-3-247.
Berguson, W. E., and D. A. Perala (1988), Aspen fertilization and thinning research results and future potential, in *Minnesota's timber supply: perspectives and analysis*, edited by A. R. Ek and H. M. Hoganson, pp. 176-183, University of

Minnesota College of Natural Resources and Agricultural Experiment Station, Grand Rapids, MN.
Bernath, S. C. (1981), TIMWAT: a planning model for the evaluation of changing land uses on water yield, MS plan B paper thesis, 47 pp, University of Minnesota, Saint Paul, MN.
Bernath, S. C., E. S. Verry, K. N. Brooks, and P. F. Ffolliott (1982), Modeling water yield response to forest cover changes in northern MN, in *Proceedings of the Canadian hydrology symposium: '82, hydrological processes of forested areas, Fredericton, NB, Canada, 14-15 June 1982.*, edited, pp. 385-399, National Research Council Canada.
Boelter, D. H. (1962), A study of some physical properties of several peat materials and their relation to field water conditions in the peat bog, dissertation thesis, 102 pp, University of Minnesota, Saint Paul, MN.
Boelter, D. H. (1964), Water storage characteristics of several peats *in situ*, *Soil Sci. Soc. Am. Pro.*, *33*, 433-435.
Boelter, D. H. (1964), Laboratory techniques for measuring water storage properties of organic soils, *Soil Sci. Soc. Am. Pro.*, *28*(6), 823-824.
Boelter, D. H., and G. R. Blake (1964), Importance of volumetric expression of water contents of organic soils, *Soil Sci. Soc. Am. Pro.*, *28*(2), 176-178.
Boelter, D. H. (1965), Hydraulic conductivity of peats, *Soil Science*, *100*, 227-231.
Boelter, D. H. (1966), Hydrologic characteristics of organic soils in Lakes States Watersheds, *J. Soil Water Conserv.*, *21*(2), 50-53.
Boelter, D. H. (1969), Physical properties of peats as related to degree of decomposition, *Soil Sci. Soc. Am. Pro.*, *33*, 606-609.
Boelter, D. H. (1970), Important physical properties of peat materials, in *Proceedings of the Third International Peat Congress*, edited, pp. 150-154, National Research Council of Canada, Quebec, Canada.
Boelter, D. H. (1972), Preliminary results of water level control on small plots in a peat bog, in *The use of peatland for agriculture, horticulture, and forestry. Fourth International Peat Congress proceedings*, edited, pp. 347-354, International Peat Congress, Ontanienmi, Finland.
Boelter, D. H. (1972), Water table drawdown around an open ditch in organic soils, *J. Hydrol.*, *15*(4), 329-340, doi:10.1016/0022-1694(72)90046-7.
Boelter, D. H. (1974), The ecological fundamentals of forest drainage peatland hydology: peatland water economy, in *The coordinators' papers and discussions of the International Symposium on Forest Drainage, Jyväskylä-Oulu, Finland, 2-6 September, 1974*, edited by L. Heikurainen, pp. 35-48, Helsinki, Finland.
Boelter, D. H. (1974), Forest drainage in north central United States, in *Proceedings of the International Symposium on Forest Drainage, Jyväskylä-Oulu, Finland, September 1974*, edited by L. Heikurainen, pp. 201-206, Helsinki, Finland.
Boelter, D. H. (1974), The hydrologic characteristics of undrained organic soils in the Lake States, in *Histosols: their characteristics, use, and classification*, edited, pp. 33-46, Soil Science Society of America, Madison, WI.
Boelter, D. H. (1975), Methods for analysing the hydrological characteristics of organic soils in marsh-ridden areas, in *International symposium on the hydrology of*

marsh-ridden areas. Proceedings of the Minsk symposium, Minsk, Byelorussia, June 1972, edited, pp. 161-169, The Unesco Press / IAHS, Paris, France.
Boelter, D. H., and E. S. Verry (1977), Peatland and water in the northern lake States, General technical report NC-31, 22 pp, USDA Forest Service, Saint Paul, MN.
Bradford, J. H., P. Weishampel, M.-L. Smith, R. Kolka, R. A. Birdsey, S. V. Ollinger, and M. G. Ryan (2009), Detrital carbon pools in temperate forests: magnitude and potential for landscape-scale assessment, *Can. J. Forest Res.*, *39*(4), 802-813, doi:10.1139/X09-010.
Bridgham, S. D., K. Updegraff, and J. Pastor (1998), Carbon, nitrogen, and phosphorus mineralization in northern wetlands, *Ecology*, *79*(5), 1545-1561, doi:10.1890/0012-9658(1998)079[1545:CNAPMI]2.0.CO;2.
Bridgham, S. D., K. Updegraff, and J. Pastor (2001), A comparison of nutrient availability indices along an ombrotrophic-minerotrophic gradient in Minnesota wetlands, *Soil Sci. Soc. Am. J.*, *65*(1), 259-269.
Brooks, K. N. (1988), Surface hydrology, in *The patterned peatlands of Minnesota*, edited by H. E. Wright and B. A. Coffin, pp. 153-162, University of Minnesota Press, Minneapolis, MN.
Brooks, K. N., and D. R. Kreft (1989), A hydrologic model for Minnesotas peatlands, *Journal of the Minnesota Academy of Science*, *55*(1), 113-119.
Brooks, K. N., P. F. Ffolliott, D. P. Guertin, S.-Y. Lu, J. L. Nieber, S. R. Predmore, and P. K. Barten (2011), Multiple resource and hydrologic models for peatland-upland forests of the northern Lake States, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 459-479, CRC Press, Boca Raton, FL.
Brooks, K. N., S. B. Verma, J. Kim, and E. S. Verry (2011), Scaling up evapotranspiration estimates from process studies to watersheds, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 177-192, CRC Press, Boca Raton, FL.
Brown, J. M. (1972), Effect of clearcutting a black spruce bog on net radiation, *Forest Sci.*, *18*(4), 273-277.
Brown, J. M. (1972), The effect of overstory removal upon surface wind in a black spruce bog, Research note NC-137, 2 pp, USDA Forest Service, Saint Paul, MN.
Brown, J. M. (1973), Effect on overstory removal on production of shrubs and sedge in a northern minnesota bog, *Journal of the Minnesota Academy of Science*, *38*(2-3), 96-97.
Brown, J. M. (1973), A device for measuring the average temperature of water, soil, or air, *Ecology*, *54*(6), 1397-1399.
Brown, J. M. (1976), Peat temperature regime of a Minnesota bog and the effect of canopy removal, *J. Appl. Ecol.*, *13*(1), 189-194.
Brown, A. E., L. Zhang, T. A. McMahon, A. W. Western, and R. A. Vertessy (2005), A review of paired catchment studies for determining changes in water yield resulting from alterations in vegetation, *J. Hydrol.*, *310*(1-4), 28-61, doi:10.1016/j.jhydrol.2004.12.010.
Bullock, A., and M. Acreman (2003), The role of wetlands in the hydrological cycle, *Hydrol. Earth Syst. Sc.*, *7*, 358-389.

Burke, M. E., E. Gorham, and D. C. Pratt (1974), Distribution of purple photosynthetic bacteria in wetland and woodland habitats of central and northern Minnesota, *J. Bacteriol.*, *117*(2), 826-833.

Buttleman, C. G. (1982), Use of Rb/K ratio to define nutrient linkages between a perched bog and its surrounding upland, MS thesis thesis, 143 pp, University of Minnesota, Saint Paul, MN.

Buttleman, C. G., and D. F. Grigal (1985), Use of the Rb/K ratio to evaluate potassium nutrition of peatlands, *Oikos*, *44*(2), 253-256.

Chanton, J. P., J. E. Bauer, P. A. Glaser, D. I. Siegel, C. A. Kelley, S. C. Tyler, E. H. Romanowicz, and A. Lazrus (1995), Radiocarbon evidence for the substrates supporting methane formation within northern Minnesota peatlands, *Geochim. Cosmochim. Ac.*, *59*(17), 3663-3668, doi:10.1016/0016-7037(95)00240-Z.

Chen, C. W., and J. W. Herr (2010), Simulating the effect of sulfate addition on methylmercury output from a wetland, *Journal of Environmental Engineering*, *136*(4), 354-362, doi:10.1061/(ASCE)EE.1943-7870.0000176

Clausen, J. C., and K. N. Brooks (1983), Quality of runoff from Minnesota peatlands: I. A characterization, *Water Resour. Bull.*, *19*(5), 763-767.

Clausen, J. C., and K. N. Brooks (1983), Quality of runoff from Minnesota peatlands: II. A method for assessing mining impacts, *Water Resour. Bull.*, *19*(5), 769-772.

Clement, R. J., S. B. Verma, and E. S. Verry (1995), Relating chamber measurements to eddy correlation measurements of methane flux, *J. Geophys. Res.-Atmos*, *100*(D10), 21047-21056.

Coleman Wasik, J. K. (2008), Chronic effects of atmospheric sulfate deposition on mercury methylation in a boreal wetland: replication of a global experiment, MS thesis thesis, 73 pp, University of Minnesota, St. Paul, MN.

Coleman Wasik, J. K., C. P. J. Mitchell, D. R. Engstrom, E. B. Swain, B. A. Monson, S. J. Balogh, J. D. Jeremiason, B. A. Branfireun, S. L. Eggert, R. K. Kolka, and J. E. Almendinger (2012), Methylmercury declines in a boreal peatland when experimental sulfate deposition decreases, *Environ. Sci. Technol.*, *46*(12), 6663-6671, doi:10.1021/es300865f.

Crandall, D. (2008), 100 Years of experimental forests and eons of tinkering, *PERC Reports*, *26*(2).

Crill, P. M., K. B. Bartlett, R. C. Harriss, E. Gorham, E. S. Verry, D. I. Sebacher, L. Madzar, and W. Sanner (1988), Methane flux from Minnesota peatlands, *Global Biogeochem. Cy.*, *2*(4), 371-384.

Cui, J., C. Li, and C. C. Trettin (2005), Analyzing the ecosystem carbon and hydrologic characteristics of forested wetland using a biogeochemical process model, *Global Change Biol.*, *11*(2), 278-289, doi:10.1111/j.1365-2486.2005.00900.x.

David, M. B., D. F. Grigal, L. F. Ohmann, and G. Z. Gertner (1988), Sulfur, carbon, and nitrogen relationships in forest soils across the northern Great Lakes States as affected by atmospheric deposition and vegetation, *Can. J. Forest Res.*, *18*(11), 1386-1391, doi:10.1139/cjfr-18-11-1386.

de los Reyes, R. P. (1978), Microbial degradation of 2,4-D to CO_2 in groundwater fen soils, MS thesis thesis, 96 pp, University of Minnesota, Saint Paul, MN.

Dise, N. B. (1991), Methane emission from peatlands in northern Minnesota, PhD dissertation thesis, 138 pp, University of Minnesota, St. Paul, MN.

Dise, N. B. (1992), Winter fluxes of methane from Minnesota peatlands, *Biogeochemistry*, *17*(2), 71-83, doi:10.1007/BF00002641.
Dise, N. B. (1993), Methane emission from Minnesota peatlands: spatial and seasonal variability, *Global Biogeochem. Cy.*, *7*(1), 123-142.
Dise, N. B., E. Gorham, and E. S. Verry (1993), Environmental factors controlling methane emissions from peatlands in northern Minnesota, *J. Geophys. Res.-Atmos*, *98*(D6), 10583-10594.
Dise, N. B., and E. S. Verry (2001), Suppression of peatland methane emission by cumulative sulfate deposition in simulated acid rain, *Biogeochemistry*, *53*(2), 143-160, doi:10.1023/A:1010774610050.
Dise, N., N. J. Shurpali, P. Weishampel, S. B. Verma, E. S. Verry, E. Gorham, P. M. Crill, R. C. Harriss, C. A. Kelley, J. B. Yavitt, K. A. Smemo, R. K. Kolka, K. Smith, J. Kim, R. J. Clement, T. J. Arkebauer, K. B. Bartlett, D. P. Billesbach, S. D. Bridgham, A. E. Elling, P. A. Flebbe, J. Y. King, C. S. Martens, D. I. Sebacher, C. J. Williams, and R. K. Wieder (2011), Carbon emissions from peatlands, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 297-347, CRC Press, Boca Raton, FL.
Eisenreich, S. J., N. A. Metzer, N. R. Urban, and J. A. Robbins (1986), Response of atmospheric lead to decreased use of lead in gasoline, *Environ. Sci. Technol.*, *20*(2), 171-174, doi:10.1021/es00144a010.
Elling, A. E., and E. S. Verry (1978), Predicting wind-caused mortality in strip-cut stands of peatland black spruce, *The Forestry Chronicle*, *54*(5), 249-252.
Engstrom, D. R. (2001), Mercury mysteries at Marcell, *Field Notes of the St. Croix Watershed Research Station*, *9*(2), 1, 6, 8.
Farrish, K. W. (1985), Decomposition in northern Minnesota peatlands, PhD thesis, 147 pp, University of Minnesota, Saint Paul, MN.
Farrish, K. W., and D. F. Grigal (1985), Mass loss in a forested bog: relation to hummock and hollow microrelief, *Can. J. Soil Sci.*, *66*(2), 375-378.
Farrish, K. W., and D. F. Grigal (1988), Decomposition in an ombrotrophic bog and a minerotrophic fen in Minnesota, *Soil Science*, *145*(5), 353-358.
Fissore, C. (2007), Biotic and abiotic controls on soil organic carbon quality along a paired pine and hardwood climosequence, dissertation thesis, 107 pp, Michigan Technological University, Houghton, MI.
Fissore, C., C. P. Giardina, R. K. Kolka, C. C. Trettin, G. M. King, M. F. Jurgensen, C. D. Barton, and S. D. McDowell (2008), Temperature and vegetation effects on soil organic carbon quality along a forested mean annual temperature gradient in North America, *Global Change Biol.*, *14*(1), 193-205, doi:10.1111/j.1365-2486.2007.01478.x.
Fissore, C., C. P. Giardina, R. K. Kolka, and C. C. Trettin (2009), Soil organic carbon quality in forested mineral wetlands at different mean annual temperature, *Soil Biol. Biochem.*, *41*(3), 458-466, doi:10.1016/j.soilbio.2008.11.004.
Fleck, J. A. (1999), Mercury transport through northern forested watersheds: dissolved and particulate pathways, MS thesis thesis, 100 pp, University of Minnesota, St. Paul, MN.

Fleck, J. A., D. F. Grigal, and E. A. Nater (1999), Mercury uptake by trees: An observational experiment *Water Air Soil Poll.*, *115*(1-4), 513-523, doi:10.1023/A:1005194608598.

Fleming, R. L., R. F. Powers, N. W. Foster, M. Kranabetter, D. A. Scott, F. Ponder, S. Berch, W. K. Chapman, R. D. Kabzems, K. H. Ludovici, D. M. Morris, D. S. Page-Dumroese, P. T. Sanborn, F. G. Sanchez, D. M. Stone, and A. E. Tiarks (2006), Effects of organic matter removal, soil compaction, and vegetation control on 5-year seedling performance: a regional comparison of Long-Term Soil Productivity sites, *Can. J. Forest Res.*, *36*(3), 529-550, doi:10.1139/X05-271.

Gafni, A. (1986), Field tracing approach to determine flow velocity and hydraulic conductivity in saturated peat soils, PhD dissertation thesis, 185 pp, University of Minnesota, Saint Paul, MN.

Gafni, A., and K. N. Brooks (1986), Tracing approach to determine groundwater velocity in peatlands, *Hydrological Science and Technology*, *2*(4), 17-23.

Gafni, A., and K. N. Brooks (1986), Hydrologic properties of natural versus mined peatlands, in *Advances in peatlands engineering*, edited, pp. 185-190, National Research Council of Canada, Ottawa, Canada.

Gafni, A., and K. N. Brooks (1990), Hydraulic characteristics of four peatlands in Minnesota, *Can. J. Soil Sci.*, *70*(2), 239-253.

Gale, M. R. (1987), A forest productivity index model based on soil-and root-distributional characteristics, PhD dissertation thesis, 159 pp, University of Minnesota, Saint Paul, MN.

Gale, M. R., and D. F. Grigal (1987), Vertical root distributions of northern tree species in relation to successional status, *Can. J. Forest Res.*, *17*(8), 829-834, doi:10.1139/cjfr-17-8-829.

Gorham, E., S. E. Bayley, and D. W. Schindler (1984), Ecological effects of acid deposition upon peatlands: A neglected field in "acid-rain" research, *Can. J. Fish. Aquat. Sci.*, *41*(8), 1256-1268, doi:10.1139/cjfas-41-8-1256.

Gorham, E., S. J. Eisenreich, J. Ford, and M. V. Santelmann (1985), The chemistry of bog waters, in *Chemical processes in lakes*, edited by W. Stumm, pp. 339-363, John Wiley and Sons, New York, NY.

Gorham, E. (1991), Northern peatlands: role in the carbon cycle and probable responses to climatic warming, *Ecol. Appl.*, *1*(2), 182-195.

Gorham, E., J. A. Janssens, and P. H. Glaser (2003), Rates of peat accumulation during the postglacial period in 32 sites from Alaska to Newfoundland, with special emphasis on northern Minnesota, *Can. J. Bot.*, *81*(5), 429-438, doi:10.1139/b03-036.

Graydon, J. A., V. L. St. Louis, H. Hintelmann, S. E. Lindberg, K. A. Sandilands, J. W. M. Rudd, C. A. Kelly, B. D. Hall, and L. D. Mowat (2008), Long-term wet and dry deposition of total and methyl mercury in the remote boreal ecoregion of Canada, *Environ. Sci. Technol.*, *42*(22), 8345-8351, doi:10.1021/es801056j.

Grigal, D. F., and L. K. Kernik (1984), Generality of black spruce biomass estimation equations, *Can. J. Forest Res.*, *14*(3), 468-470, doi:10.1139/cjfr-14-3-468.

Grigal, D. F., and L. K. Kernik (1984), Biomass estimation for black spruce (*Picea mariana* (Mill.) B.S.P.) trees, Research note 290, 4 pp, University of Minnesota Department of Forestry.

Grigal, D. F. (1985), *Sphagnum* production in forested bogs of northern Minnesota, *Can. J. Bot.*, *63*(7), 1204-1207, doi:10.1139/cjb-63-7-1204
Grigal, D. F., C. G. Buttleman, and L. K. Kernik (1985), Biomass and productivity of the woody strata of forested bogs in northern Minnesota, *Can. J. Bot.*, *63*(12), 2416-2424, doi:10.1139/cjb-63-12-2416.
Grigal, D. F., S. L. Brovold, W. S. Nord, and L. F. Ohmann (1989), Bulk density of surface soils and peat in the north central United States, *Can. J. Soil Sci.*, *69*(4), 895-900.
Grigal, D. F. (1991), Elemental dynamics in forested bogs in northern Minnesota, *Can. J. Bot.*, *69*(3), 539-546, doi:10.1139/cjb-69-3-539.
Grigal, D. F., and K. N. Brooks (1997), Forest management impacts on undrained peatlands in North America, in *Northern forested wetlands: Ecology and management*, edited by C. C. Trettin, et al., pp. 379-396, CRC/Lewis Publishers, Boca Raton, FL.
Grigal, D. F., R. K. Kolka, J. A. Fleck, and E. A. Nater (2000), Mercury budget of an upland-peatland watershed, *Biogeochemistry*, *50*(1), 95-109, doi:10.1023/A:1006322705566.
Grigal, D. F. (2002), Inputs and outputs of mercury from terrestrial watersheds: a review, *Environ. Rev.*, *10*(1), 1-39, doi:10.1139/A01-013.
Grigal, D. F. (2003), Mercury squestration in forests and peatlands: A review, *J Environ Qual*, *32*(2), 393-405.
Grigal, D. F. (2005), Ecosystem C storage on the Marcell Experimental Forest, Minnesota, edited, p. 76, Saint Paul, MN.
Grigal, D. F. (2009), A soil-based aspen productivity index for Minnesota, *Forest Ecol. Manag.*, *257*(6), 1465-1473, doi:10.1016/j.foreco.2008.12.022.
Grigal, D. F., P. C. Bates, and R. K. Kolka (2011), Ecosystem carbon storage and flux in upland/peatland watersheds in northern Minnesota, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 243-296, CRC Press, Boca Raton, FL.
Guertin, D. P. (1984), Modeling streamflow response from Minnesota peatlands, PhD dissertation thesis, 230 pp, University of Minnesota, St. Paul, MN.
Guertin, D. P., P. K. Barten, and K. N. Brooks (1987), The peatland hydrologic impact model: development and testing, *Nordic Hydrology*, *18*, 79-100.
Guillemette, F., A. P. Plamondon, M. Prevost, and D. Levesque (2005), Rainfall generated stormflow response to clearcutting a boreal forest: peak flow comparison with 50 world-wide basin studies, *J. Hydrol.*, *302*(1-4), 137-153, doi:10.1016/j.jhydrol.2004.06.043.
Gunnarson, U. (2005), Global patterns of *Sphagnum* productivity, *Journal of Bryology*, *27*(3), 269-279.
Hairston, A. B. (1988), Soil topographic relationships at two forested sites in Minnesota, PhD dissertation thesis, 105 pp, University of Minnesota, Saint Paul, MN.
Hairston, A. B., and D. F. Grigal (1994), Topographic variation in soil water and nitrogen for two forested landforms in Minnesota, USA, *Geoderma*, *64*(1-2), 125-138, doi:10.1016/0016-7061(94)90093-0.
Hanes, T., and C. A. Troendle Model application and simulation of timber harvesting effects on Marcell watershed 2, edited, University of Minnesota, Saint Paul, MN.

Harris, A. R., and E. S. Verry (1985), Wet deposition of sulfate and nitrate acids and salts in the United States, in *Hydrological and hydrgeochemical mechanisms and model approaches to the acidification of ecological systems. International Hydrological Programme (IHP) Workshop, Uppsala 15-16 September 1984*, edited by I. Johansson, pp. 57-66, Coordinating Committee for Hydrology in Norden / NFRs Committee for Hydrology, Sweden, Uppsala, Sweden.

Harriss, R. C., E. Gorham, D. I. Sebacher, K. B. Bartlett, and P. A. Flebbe (1985), Methane flux from northern peatlands, *Nature*, *315*(6021), 652-654, doi:10.1038/315652a0.

Harvey, F. E., and J. M. Welker (2000), Stable isotopic composition of precipitation in the semi-arid north-central portion of the US Great Plains, *J. Hydrol.*, *238*(1-2), 90-109, doi:10.1016/S0022-1694(00)00316-4.

Hawkinson, C. F., and E. S. Verry (1975), Specific conductance identifies perched and ground water lakes, Research paper NC-120, 5 pp, USDA Forest Service, St. Paul, MN.

Helmer, E. H. (1987), Aluminum speciation in bog waters and aluminum-organic matter conditional stability constants, MS thesis thesis, 197 pp, University of Minnesota, Saint Paul, MN.

Helmer, E. H., N. R. Urban, and S. J. Eisenreich (1990), Aluminum geochemistry in peatland waters, *Biogeochemistry*, *9*(3), 247-276, doi:10.1007/BF00000601.

Hewitt, J. T. (1980), The behavior of carbon-14 labeled 2,4-D and mefluidide in several soils under greenhouse conditions, biometer flask conditions and soil TLC, MS thesis thesis, 95 pp, University of Minnesota, Saint Paul, MN.

Hines, N. A. (2004), Mercury and methylmercury in Spring Lake, Minnesota: a mass balance approach comparing redox transformations, MeHg photodegradation, sediment loading, and watershed processes, PhD dissertation thesis, 128 pp, University of Minnesota, Saint Paul, MN.

Hines, N. A., and P. L. Brezonik (2004), Mercury and methylmercury in Spring Lake, Minnesota: A mass balance approach comparing redox transformations, MeHg photodegradation, sediment loading, and watershed processes, *Materials and Geoenvironment*, *51*(2), 1055-1059.

Hines, N. A., and P. L. Brezonik (2004), Mercury dynamics in a small Northern Minnesota lake: water to air exchange and photoreactions of mercury, *Marine Chemistry*, *90*(1-4), 137-149, doi:10.1016/j.marchem.2004.03.013

Hines, N. A., P. L. Brezonik, and D. R. Engstrom (2004), Sediment and porewater profiles and fluxes of mercury and methylmercury in a small seepage lake in northern Minnesota, *Environ. Sci. Technol.*, *38*(24), 6610-6617, doi:10.1021/es0496672.

Hines, N. A., and P. L. Brezonik (2007), Mercury inputs and outputs at a small lake in northern Minnesota, *Biogeochemistry*, *84*(3), 265-284, doi:10.1007/s10533-007-9114-2.

Holscher, C. E. (1967), Foresty hydrology research in the United States, in *Forest hydrology*, edited by W. E. Sopper and H. W. Lull, pp. 99-103, Pergamon Press, New York.

Hornbeck, J. W., M. B. Adams, E. S. Corbett, E. S. Verry, and J. A. Lynch (1993), Long-term impacts of forest treatments on water yield: a summary for northeastern USA, *J. Hydrol.*, *150*(2-4), 323-344, doi:10.1016/S0022-1694(01)00337-7.

Hornibrook, E. R., F. J. Longstaffe, and W. S. Fyfe (2000), Evolution of stable carbon isotope compositions for methane and carbon dioxide in freshwater wetlands and other anaerobic environments, *Geochim. Cosmochim. Ac.*, *64*(6), 1013-1027, doi:10.1016/S0016-7037(99)00321-X.

Jeremiason, J. D., D. R. Engstrom, E. B. Swain, E. A. Nater, B. M. Johnson, J. E. Almendinger, B. A. Monson, and R. K. Kolka (2006), Sulfate addition increases methylmercury production in an experimental wetland, *Environ. Sci. Technol.*, *40*(12), 3800-3806, doi:10.1021/es0524144

Johnson, B. (2004), Sulfate reducing bacteria and the role of nutrients in mercury methylation in sediments of Spring Lake, Minnesota, MS thesis thesis, University of Minnesota, Saint Paul, MN.

Kelly, C. A., N. B. Dise, and C. S. Martens (1992), Temporal variations in the stable carbon isotopic composition of methane emitted from Minnesota peatlands, *Global Biogeochem. Cy.*, *6*(3), 263-269.

Khwaja, A. R., P. R. Bloom, and P. L. Brezonik (2005), Binding constants of divalent mercury (Hg^{2+}) in soil humic acids and soil organic matter, *Environ. Sci. Technol.*, *40*(3), 844-849, doi:10.1021/es051085c.

Kim, J., and S. B. Verma (1992), Soil surface CO_2 flux in a Minnesota peatland, *Biogeochemistry*, *18*(1), 37-51, doi:10.1007/BF00000425.

Kim, J., and S. B. Verma (1996), Surface exchange of water vapour between an open sphagnum fen and the atmosphere, *Boundary-Layer Meteorology*, *79*(3), 243-264, doi:10.1007/BF00119440.

Knighton, M. D., and J. H. Stiegler (1981), Phosphorus release following clearcutting of a black spruce fen and a black spruce bog, in *Proceedings of the sixth International Peat Congress, 17-23 August 1980, Duluth, Minnesota*, edited, pp. 577-583, International Peat Society, Eveleth, Minnesota.

Kolka, R. K. Analysis of field variability of transect data, edited, p. 27, University of Minnesota, Saint Paul, MN.

Kolka, R. K. (1996), Hydrologic transport of mercury through forested watersheds, disseration thesis, 264 pp, University of Minnesota, St. Paul, MN.

Kolka, R. K., and A. T. Wolf (1998), Estimating actual evapotranspiration for forested sites: modifications to the Thornthwaite Model, Research note SRS-6, 7 pp, USDA Forest Service, Asheville, NC.

Kolka, R. K., D. F. Grigal, E. S. Verry, and E. A. Nater (1999), Mercury and organic carbon relationships in streams draining forested upland/peatland watersheds, *J. Environ. Qual.*, *28*(3), 766-775.

Kolka, R. K., E. A. Nater, D. F. Grigal, and E. S. Verry (1999), Atmospheric inputs of mercury and organic carbon into a forested upland/bog watershed, *Water Air Soil Poll.*, *113*(1), 273-294, doi:10.1023/A:1005020326683.

Kolka, R. K., D. F. Grigal, E. A. Nater, and E. S. Verry (2001), Hydrologic cycling of mercury and organic carbon in a forested upland-bog watershed, *Soil Sci. Soc. Am. J.*, *65*(3), 897-905.

Kolka, R. K., C. P. J. Mitchell, J. D. Jeremiason, N. A. Hines, D. F. Grigal, D. R. Engstrom, J. K. Coleman-Wasik, E. A. Nater, B. Johnson, J. E. Almendinger, B. Branfireun, P. L. Brezonik, and J. B. Cotner (2011), Mercury cycling in peatland watersheds, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 349-370, CRC Press, Boca Raton, FL.

Kolka, R. K., S. D. Sebestyen, and J. H. Bradford (2011), An evolving research agenda of the Marcell Experimental Forest, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 73-91, CRC Press, Boca Raton, FL.

Kolka, R. K., S. D. Sebestyen, E. S. Verry, and K. N. Brooks (2011), *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, 488 pp., CRC Press, Boca Raton, FL.

Lansdown, J. (1992), The carbon and hydrogen stable isotope composition of methane released from natural wetlands and ruminants, PhD dissertation thesis, University of Washington, Seattle, WA.

Lansdown, J., P. D. Quay, and S. L. King (1992), CH_4 production via CO_2 reduction in a temperate bog: A source of ^{13}C-depleted CH_4, *Geochim. Cosmochim. Ac.*, *56*(9), 3493-3503, doi:10.1016/0016-7037(92)90393-W.

Levy, Z. F. (2012), Assessing conceptual models of peatland hydrology using natural geochemical tracers in a circumboreal mire complex., thesis thesis, 128 pp, State University of New York College of Environmental Science and Forestry, Syracuse, NY.

Li, C., J. Cui, G. Sun, and C. Trettin (2004), Modeling impacts of management on carbon sequestration and trace gas emissions in forested wetland ecosystems, *Environ. Manage.*, *33*(0), S176-S186, doi:10.1007/s00267-003-9128-z.

Lindberg, S. E., and S. J. Vermette (1995), Workshop on sampling mercury in precipitation for the national atmospheric deposition program, *Atmos. Environ.*, *29*(11), 1219-1220, doi:10.1016/1352-2310(94)00208-3.

Lu, S.-Y. (1994), Forest harvesting effects on streamflow and flood frequency in the northern Lake States, PhD dissertation thesis, 213 pp, University of Minnesota, Saint Paul, MN.

Lugo, A. E., F. J. Swanson, O. R. González, M. B. Adams, B. J. Palik, R. E. Thill, D. G. Brockway, C. Kern, R. Woodsmith, and R. C. Musselman (2006), Long-term research at USDA Forest Service's experimental forests and ranges, *BioScience*, *56*(1), 39-48, doi:10.1641/0006-3568(2006)056[0039:LRATUF]2.0.CO;2.

Malterer, T. J., A. D. Cohen, and E. S. Verry (1987), Comparison of fiber content determination by NRCC and proposed ASTM methods, in *Symposium '87 Wetlands/Peatlands , Edmonton, Alberta, Canada, August 23-27, 1987*, edited by C. D. A. Rubec and R. P. Overend, pp. 7-15, International Peat Society, Ottawa, Ontario, Canada.

Malterer, T. J., E. S. Verry, and J. Erjavec (1992), Fiber content and degree of decomposition in peats: review of national methods, *Soil Sci. Soc. Am. J.*, *56*(4), 1200-1211.

McAdams, T. V. W. (1993), Modeling water table response to climatic change in a northern Minnesota peatland, MS thesis thesis, 135 pp, University of Minnesota, St. Paul, MN.

McAdams, T. V. W., K. N. Brooks, and E. S. Verry (1993), Modeling water table response to climatic change in a northern Minnesota peatland, in *Management of irrigation and drainage systems, integrated perspectives. Proceedings of the national conference on irrigation and drainage, Park City Utah, 21-23 July 1993*, edited, pp. 358-365, American Society of Civil Engineers, New York, NY.

Meixner, T., M. E. Fenn, and P. M. Wohlgemuth (2003), Fire disturbance and nitrogen deposition impacts at the watershed scale in southern California, in *Proceedings of the first interagency conference on research in the watersheds, 27-30 October 2003; Benson, AZ*, edited by K. G. Renard, et al., pp. 637-642, USDA Agricultural Research Service, Tuscan, AZ.

Metzer, N. A. (1986), Trace metal chemistry of wet-only precipitation in rural and urban Minnesota, PhD dissertation thesis, 130 pp, University of Minnesota, Saint Paul, Minnesota.

Miller, J. M. (1980), National atmospheric deposition program: analysis of data from the first year, in *Atmospheric sulfur deposition. Environmental impact and health effects*, edited by D. S. Shriner, et al., pp. 469-476, Ann Arbor Science Publishers, Ann Arbor, MI.

Mitchell, C. P. J. (2007), Mercury methylation hot spots in peatlands, PhD dissertation thesis, 227 pp, University of Toronto, Toronto, Quebec, Canada.

Mitchell, C. P. J., B. Branfireun, and R. K. Kolka (2008), Total mercury and methylmercury dynamics in upland–peatland watersheds during snowmelt, *Biogeochemistry*, *90*(3), 225-241, doi:10.1007/s10533-008-9246-z.

Mitchell, C. P. J., B. A. Branfireun, and R. K. Kolka (2008), Spatial characteristics of net methylmercury production hot spots in peatlands, *Environ. Sci. Technol.*, *42*(4), 1010-1016, doi:10.1021/es0704986.

Mitchell, C. P. J., B. A. Branfireun, and R. K. Kolka (2008), Assessing sulfate and carbon controls on net methylmercury production in peatlands: An in situ mesocosm approach, *Appl. Geochem.*, *23*(3), 503-518, doi:10.1016/j.apgeochem.2007.12.020.

Mitchell, C. P. J., B. A. Branfireun, and R. K. Kolka (2009), Methylmercury dynamics at the upland-peatland interface: Topographic and hydrogeochemical controls, *Water Resour. Res.*, *45*, doi:10.1029/2008WR006832.

Mitsch, W. J., and J. G. Gosselink (1993), *Wetlands*, 2nd ed., Van Nostrand Reinhold, New York.

Monson, B. A. (2009), Trend reversal of mercury concentrations in piscivorous fish from Minnesota Lakes, *Environ. Sci. Technol.*, *43*(6), 1750-1755, doi:10.1021/es8027378.

Moran, M. S., D. P. C. Peters, M. P. McClaran, M. H. Nichols, and M. B. Adams (2008), Long-term data collection at USDA experimental sites for studies of ecohydrology, *Ecohydrology*, *1*(4), 377-393, doi:10.1002/eco.24.

Mullen, S. F., J. A. Janssens, and E. Gorham (2000), Acidity of and the concentrations of major and minor metals in the surface waters of bryophyte assemblages from

20 North American bogs and fens, *Can. J. Bot.*, *78*(6), 718-727, doi:10.1139/cjb-78-6-718.
Munger, J. W. (1982), Chemistry of atmospheric precipitation in the north-central united states: Influence of sulfate, nitrate, ammonia and calcareous soil particulates, *Atmos. Environ.*, *16*(7), 1633-1645, doi:10.1016/0004-6981(82)90258-X
Munger, J. W., and S. J. Eisenreich (1983), Continental-scale variations in precipitation chemistry: ion concentrations are dominated by land use and proximity to man-made emissions, *Environ. Sci. Technol.*, *17*(1), Pages: 324-424.
NAS (1972), Catalog of International Hydrological Decade stations and networks in the United States, 66 pp, US National Academy of Sciences, Washington, DC.
Nater, E. A., D. F. Grigal, and S. M. Pang (1999), Mercury in wood: implications for wood burning as an energy source, edited.
Neary, D. G., G. G. Ice, and C. R. Jackson (2009), Linkages between forest soils and water quality and quantity, *Forest Ecol. Manag.*, *258*(10), 2269-2281, doi:10.1016/j.foreco.2009.05.027.
Neary, D. G., D. Hayes, L. E. Rustad, J. M. Vose, G. Gottfried, S. D. Sebestyen, S. L. Johnson, F. Swanson, and M. B. Adams (2012), US Forest Service Experimental Forests and Ranges Network: a continental research platform for catchment-scale research, in *Revisiting experimental catchment studies in forest hydrology*, edited by A. A. Webb, et al., pp. 49-57, International Association of Hydrological Sciences, Wallingford, United Kingdom.
Neff, J. C., E. A. Holland, F. J. Dentener, W. H. McDowell, and K. M. Russell (2002), The origin, composition and rates of organic nitrogen deposition: A missing piece of the nitrogen cycle?, *Biogeochemistry*, *57/58*(1), 99-136, doi:10.1023/A:1015791622742.
Nichols, D. S., and J. M. Brown (1980), Evaporation from a sphagnum moss surface, *J. Hydrol.*, *48*(3-4), 289-302, doi:10.1016/0022-1694(80)90121-3.
Nichols, D. S. (1981), Nutrient removal from wastewater by wetlands, in *Proceedings of the sixth International Peat Congress, 17-23 August 1980, Duluth, Minnesota*, edited, pp. 638-642, International Peat Society, Eveleth, Minnesota.
Nichols, D. S., and D. H. Boelter (1984), Fiber size distribution, bulk density, and ash content of peats in Minnesota, Wisconsin, and Michigan, *Soil Sci. Soc. Am. J.*, *48*(6), 1320-1328.
Nichols, D. S. (1985), Evidence for effects in ecosystems in the north central U.S. - surface waters., in *Air pollutants effects on forest ecosystems*, edited, pp. 253-266, The Acid Rain Foundation, Saint Paul, MN.
Nichols, D. S., and E. S. Verry (1985), Evidence for the cultural acidification of lakes in the northern Lake States, in *Air pollutants effects on forest ecosystems, May 8-9, 1985, St. Paul, MN*, edited, pp. 253-265, The Acid Rain Foundation, Saint Paul, MN.
Nichols, D. S., and R. E. McRoberts (1986), Relations between lake acidification and sulfate deposition in Northern Minnesota, Wisconsin, and Michigan, *Water Air Soil Poll.*, *31*(1), 197-206, doi:10.1007/BF00630834.
Nichols, D. S. (1998), Temperature of upland and peatland soils in a north central Minnesota forest *Can. J. Soil Sci.*, *78*(3), 493-509.

Nichols, D. S., and E. S. Verry (2001), Stream flow and ground water recharge from small forested watersheds in north central Minnesota, *J. Hydrol.*, *245*(1-4), 89-103, doi:10.1016/S0022-1694(01)00337-7.

Novák, M., and R. K. Wieder (1992), Inorganic and organic sulfur profiles in nine Sphagnum peat bogs in the United States and Czechoslovakia, *Water Air Soil Poll.*, *65*(3), 353-369, doi:10.1007/BF00479898.

Novák, M., R. K. Wieder, and W. R. Schell (1994), Sulfur during early diagenesis in Sphagnum peat: Insights from δ^{34}S ratio profiles in ^{210}Pb-dated peat cores, *Limnol. Oceanogr.*, *39*(5), 1172-1185.

Novák, M., F. Buzek, and M. Adamová (1999), Vertical trends in δ^{13}C, δ^{15}N and δ^{34}S ratios in bulk Sphagnum peat, *Soil Biol. Biochem.*, *31*(9), 1343-1346, doi:10.1016/S0038-0717(99)00040-1.

Noyce, K. V., P. B. Kannowski, and M. R. Riggs (1997), Black bears as ant-eaters: Seasonal associations between bear myrmecophagy and ant ecology in north-central Minnesota, *Can. J. Zoology*, *75*(10), 1671-1686.

Nungesser, M. K. (2003), Modelling microtopography in boreal peatlands: hummocks and hollows, *Ecol. Model.*, *165*(2-3), 175-207, doi:10.1016/S0304-3800(03)00067-X.

Ohmann, L. F., H. O. Batzer, R. R. Buech, D. C. Lothner, D. A. Perala, A. L. Schipper, and E. S. Verry (1978), Some harvest options and their consequences for the aspen, birch, and associated forest types of the Lake States, General technical report NC-48, 34 pp, USDA Forest Service, Saint Paul, MN.

Page-Dumroese, D. S., M. F. Jurgensen, A. E. Tiarks, F. Ponder, F. G. Sanchez, R. L. Fleming, M. Kranabetter, R. F. Powers, D. M. Stone, J. D. Elioff, and D. A. Scott (2006), Soil physical property changes at the North American Long-Term Soil Productivity study sites: 1 and 5 years after compaction, *Can. J. Forest Res.*, *36*(3), 551-564, doi:10.1139/X05-273

Pang, S. M. (1997), Mercury in wood and wood fuels, MS thesis thesis, 54 pp, University of Minnesota, Saint Paul, Minnesota.

Parsekian, A. D., L. Slater, D. Ntarlagiannis, J. Nolan, S. D. Sebestyen, R. K. Kolka, and P. J. Hanson (2012), Uncertainty in peat volume and soil carbon estimated using ground-penetrating radar and probing, *Soil Sci. Soc. Am. J.*, doi:10.2136/sssaj2012.0040.

Paul, G., and E. S. Verry (1980), Changes in water yield resulting from changes in land use. Symposium: North Country Futures Industrial Impacts on Forest Resources, Communities, and You, 27-29 March 1980, Bemidji, MN, edited, p. 12, Bemidji, MN.

Paulson, R. O. (1968), A soil survey of Marcell Experimental Forest, 26 pp, USDA Soil Conservation Service, Grand Rapids, MN.

Perala, D. A., and A. A. Alm (1990), Regeneration silviculture of birch: A review, *Forest Ecol. Manag.*, *32*(1), 39-77, doi:10.1016/0378-1127(90)90105-K

Perala, D. A., and A. A. Alm (1990), Reproductive ecology of birch: A review, *Forest Ecol. Manag.*, *32*(1), 1-38, doi:10.1016/0378-1127(90)90104-J.

Perala, D. A., and E. S. Verry (2011), Forest management practices and silviculture, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 371-400, CRC Press, Boca Raton, FL.

Powers, R. F., and G. O. Fiddler (1997), The north American long-term soil productivity study: progress through the first 5 years, in *Proceedings of the Eighteenth Annual Forest Vegetation Management Conference, 14-16 January 1997, Sacramento, CA*, edited, pp. 88-102, Forest Vegetation Management Conference, Redding, CA.

Powers, R. F., S. D. Andrew, F. G. Sanchez, R. A. Voldseth, D. S. Page-Dumroese, J. D. Elioff, and D. M. Stone (2005), The North American long-term soil productivity experiment: Findings from the first decade of research, *Forest Ecol. Manag.*, *220*(1-3), 31-50.

Prestbo, E. M., and D. A. Gay (2009), Wet deposition of mercury in the U.S. and Canada, 1996-2005: Results and analysis of the NADP mercury deposition network (MDN), *Atmos. Environ.*, *43*(27), 4223-4233, doi:10.1016/j.atmosenv.2009.05.028.

Quay, P. D., S. L. King, J. M. Lansdown, and D. O. Wilbur (1988), Isotopic composition of methane released from wetlands: Implications for the increase in atmospheric methane, *Global Biogeochem. Cy.*, *2*(4).

Rapaport, R. A. (1985), Chlorinated hydrocarbons in peat, PhD dissertation thesis, 303 pp, University of Minnesota, Saint Paul, Minnesota.

Rapaport, R. A., N. R. Urban, P. D. Capel, J. E. Baker, B. B. Looney, S. J. Eisenreich, and E. Gorham (1985), "New" DDT inputs to North America: Atmospheric deposition, *Chemosphere*, *14*(9), 1167-1173, doi:10.1016/0045-6535(85)90138-9

Rauneker, P. (2010), Subsurface flow and soil moisture responses to the clearcut harvest and forest conversion of a deciduous forest, diploma thesis thesis, 100 pp, Albert-Ludwigs-University of Freiburg, Freiburg, Germany.

Richardson, M. C., C. P. J. Mitchell, B. A. Branfireun, and R. K. Kolka (2010), Analysis of airborne LiDAR surveys to quantify the characteristic morphologies of northern forested wetlands, *J. Geophys. Res.*, *115*(G3), G03005, doi:10.1029/2009jg000972.

Risch, M. R., J. F. DeWild, D. P. Krabbenhoft, R. K. Kolka, and L. Zhang (2011), Litterfall mercury dry deposition in the eastern USA, *Environ. Pollut.*, *161*(0), 284-290.

Risch, M. R., J. F. DeWild, D. P. Krabbenhoft, R. K. Kolka, and L. Zhang (2012), Litterfall mercury dry deposition in the eastern USA, *Environ. Pollut.*, *161*(0), 284-290, doi:10.1016/j.envpol.2011.06.005.

Rudolf, P. O. (1985), History of the Lake States forest experiment station, 290 pp, USDA Forest Service, Saint Paul, MN.

Sahin, V., and M. J. Hall (1996), The effects of afforestation and deforestation on water yields, *J. Hydrol.*, *178*(1-4), 293-309, doi:10.1016/0022-1694(95)02825-0.

Sander, J. E. (1976), An electric analog approach to bog hydrology, *Ground Water*, *14*(1), 30-35.

Sander, J. E. (1978), The blind zone in seismic ground-water exploration, *Ground Water*, *16*(6), 394-397.

Schindler, D. W., S. E. Bayley, P. J. Curtis, B. R. Parker, M. P. Stainton, and C. A. Kelly (1992), Natural and man-caused factors affecting the abundance and cycling of dissolved organic substances in precambrian shield lakes, *Hydrobiologia*, *229*(1), 1-21, doi:10.1007/BF00006987.

Schurr, K. T. (1983), Biogeochemistry of selected metals in a forested sphagnum bog in Minnesota, MS thesis thesis, 341 pp, University of Minnesota, Saint Paul, MN.

Sebacher, D. I., R. C. Harriss, K. B. Bartett, S. M. Sebacher, and S. S. Grice (1986), Atmospheric methane sources: Alaska tundra bogs, an alpine fen, and a subarctic boreal marsh, *Tellus*, *38B*, 1-10.

Sebestyen, S. D., C. Dorrance, D. M. Olson, E. S. Verry, R. K. Kolka, A. E. Elling, and R. Kyllander (2011), Long-term monitoring sites and trends at the Marcell Experimental Forest, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 15-71, CRC Press, Boca Raton, FL.

Sebestyen, S. D., and E. S. Verry (2011), Water chemistry responses to watershed experiments at the Marcell Experimental Forest, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 401-432, CRC Press, Boca Raton, FL.

Sebestyen, S. D., E. S. Verry, and K. N. Brooks (2011), Hydrological responses to forest cover changes on uplands and peatlands, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 433-458, CRC Press, Boca Raton, FL.

Shannon, J. (2011), Canopy transpiration and water yield changes following forest canopy conversion in northern Minnesota, MS thesis, 68 pp, University of Minnesota, St. Paul, MN.

Shotyk, W. (1988), Review of the inorganic geochemistry of peats and peatland waters, *Earth Science Review*, *25*, 95-176, doi:10.1016/0012-8252(88)90067-0

Shurpali, N. J., S. B. Verma, R. J. Clement, and D. P. Billesbach (1993), Seasonal distribution of methane flux in Minnesota Peatland measured by eddy correlation, *J. Geophys. Res.-Atmos*, *98*(11), 20649-20655.

Shurpali, N. J., S. B. Verma, J. Kim, and T. J. Arkebauer (1995), Carbon dioxide exchange in a peatland ecosystem, *J. Geophys. Res.*, *100*(D7), 14319-14326, doi:10.1029/95jd01227.

Shurpali, N. J., and S. B. Verma (1998), Micrometeorological measurements of methane flux in a Minnesota peatland during two growing seasons, *Biogeochemistry*, *40*(1), 1-15, doi:10.1023/A:1005875307146.

Skyllberg, U., K. Xia, P. R. Bloom, E. A. Nater, and W. F. Bleam (2000), Binding of mercury(II) to reduced sulfur in soil organic matter along upland-peat soil transects, *J. Environ. Qual.*, *29*(3), 855-865.

Skyllberg, U., P. R. Bloom, J. Qian, C.-M. Lin, and W. F. Bleam (2006), Complexation of mercury(II) in soil organic matter: EXAFS evidence for linear two-coordination with reduced sulfur groups, *Environ. Sci. Technol.*, *40*(13), 4174-4180, doi:10.1021/es0600577.

Skyllberg, U. (2008), Competition among thiols and inorganic sulfides and polysulfides for Hg and MeHg in wetland soils and sediments under suboxic conditions: Illumination of controversies and implications for MeHg net production, *J. Geophys. Res.-Biogeosc.*, *113*, G00C03, doi:10.1029/2008JG000745.

Smemo, K. A. (2003), The biogeochemistry of methane in northern peatland ecosystems: a potential role for anaerobic methane oxidation, PhD dissertation thesis, Cornell University, Ithaca, NY.

Smemo, K. A., and J. B. Yavitt (2007), Evidence for anaerobic CH_4 oxidation in freshwater peatlands, *Geomicrobiol. J.*, *24*(7), 583 - 597, doi:10.1080/01490450701672083.

Smith, K. (1993), Methane flux of a Minnesota peatland: spatial and temporal variables and flux prediction from peat temperature and water table elevations, MS thesis thesis, 38 pp, University of Minnesota, Saint Paul, MN.

Stednick, J. D. (1996), Monitoring the effects of timber harvest on annual water yield, *J. Hydrol.*, *176*(1-4), 79-95, doi:10.1016/0022-1694(95)02780-7.

Stednick, J. D., C. A. Troendle, and G. G. Ice (2004), Lessons for watershed research in the future, in *Lessons for watershed research in the future; A century of forest and wildland watershed lessons*, edited by G. G. Ice and J. D. Stednick, pp. 277-287, Society of American Foresters, Bethesda, MD.

Stevens, C. M., and A. Engelkeimer (1988), Stable carbon isotopic composition of methane from some natural and anthropogenic sources, *J. Geophys. Res.-Atmos*, *93*(D1), 725-733.

Stiegler, J. H. (1978), Environmental factors influencing microbial activity and subsequent nutrient release from organic soils, Plan B paper thesis, 43 pp, University of Minnesota, St. Paul, MN.

Stone, E. L., W. T. Swank, and J. W. Hornbeck (1980), Impacts of timber harvests and regeneration systems on stream flow and soils in the eastern deciduous region, in *Forest soils and land use: Proceedings of the fifth North American forest soils conference, August 1978, Fort Collins, CO.* , edited, pp. 516-535, Colorado State University, Department of Forest and Wood Sciences, Fort Collins, CO.

Stone, D. M., and J. L. Robl (1996), Construction and performance of rugged ceramic cup soil water samplers, *Soil Sci. Soc. Am. J.*, *60*(2), 417-420.

Stone, D. M., and J. D. Elioff (1998), Soil properties and aspen development five years after compaction and forest floor removal, *Can. J. Soil Sci.*, *78*(1), 51-58.

Stone, D. M. (2001), Sustaining aspen productivity in the Lake States, in *Sustaining aspen in western landscapes: Symposium proceedings, Grand Junction, Colo., 13–15 June 2000*, edited by W. D. Shepperd, et al., pp. 47-59, USDA Forest Service, Fort Collins, CO.

Stone, D. M. (2002), Lake states aspen productivity following soil compaction and organic matter removal, in *Beyond 2001: a silvicultural odyssey to sustaining terrestrial and aquatic ecosystems: proceedings of the 2001 National Silviculture Workshop*, edited, pp. 59-67, USDA Forest Service, Portland, OR.

Sumner, J. P., M. J. Vepraskas, and R. K. Kolka (2009), Methods to evaluate normal rainfall for short-term wetland hydrology assessment, *Wetlands*, *29*(3), 1049-1062, doi:10.1672/09-026d.1.

Tabatabai, A., R. E. Burwell, B. G. Ellis, D. R. Keeney, T. J. Logan, D. W. Nelson, R. A. Olson, G. W. Randall, D. R. Timmons, E. S. Verry, and E. M. White (1981), Nutrient concentrations and accumulation in precipitation over the north central region, Research Bulletin 594, 142 pp, Agriculture and home economics experiment station, Iowa State University of Science and Technology, Ames, IA.

Thornton, J. D., S. J. Eisenreich, J. W. Munger, and E. Gorham (1981), Trace metal and strong acid composition of rain and snow in northern Minnesota, in *Atmospheric*

pollutants in natural waters, edited by S. J. Eisenreich, pp. 261-284, Ann Arbor Science, Ann Arbor, MI.

Tiarks, A. E., R. F. Powers, D. H. Alban, G. A. Ruark, and D. S. Page-Dumroese (1993), USFS long-term soil productivity national research project: a USFS cooperative research program, in *Proceedings of the 8th International soil management workshop: utilization of soil survey information for sustainable land use, May 1993*, edited by J. M. Kimble, pp. 236-241, USDA Soil Conservation Service, National Soil Survey Center, Lincoln, NE.

Tiarks, A. E., M. A. Buford, R. F. Powers, J. F. Ragus, D. S. Page-Dumroese, F. Ponder, and D. M. Stone (1997), North American long-term soil productivity research program NE-238, 140-147 pp, USDA Forest Service, Newtown Square, PA.

Timmons, D. R., E. S. Verry, R. E. Burwell, and R. F. Holt (1977), Nutrient transport in surface runoff and interflow from an aspen-birch forest, *J. Environ. Qual.*, *6*(2), 188-192.

Tracy, D. R. (1997), Hydrologic linkages between uplands and peatlands, PhD thesis, 157 pp, University of Minnesota Twin Cities, Saint Paul, MN.

Trettin, C. C., R. Laiho, Minkkinen, and J. Laine (2006), Influence of climate change factors on carbon dynamics in northern forested peatlands, *Can. J. Soil Sci.*, *86*, 269-280.

Urban, N. R. (1983), The nitrogen cycle in a forested bog watershed in northern Minnesota, MS thesis thesis, 359 pp, University of Minnesota, St. Paul, MN.

Urban, N. R., and S. E. Bayley (1986), The acid-base balance of peatlands: a short-term perspective, *Water Air Soil Poll.*, *30*, 791-800, doi:10.1007/BF00303345.

Urban, N. R., S. J. Eisenreich, and E. Gorham (1987), Aluminum, iron, zinc, and lead in bog waters of northeastern North America, *Can. J. Fish. Aquat. Sci.*, *44*, 1165-1172, doi:10.1139/cjfas-44-6-1165.

Urban, N. R., S. J. Eisenreich, and E. Gorham (1987), Proton cycling in bogs: geographic variation in northeastern North America, in *Effects of atmospheric pollutants on forests, wetlands, and agricultural ecosystems*, edited by T. C. Hutchinson and K. M. Meema, pp. 577-598, Springer-Verlag, New York, NY.

Urban, N. R., and S. J. Eisenreich (1988), Nitrogen cycling in a forested Minnesota bog, *Can. J. Bot.*, *66*(3), 435-449, doi:10.1139/b88-069.

Urban, N. R., S. J. Eisenreich, and S. E. Bayley (1988), The relative importance of denitrification and nitrate assimilation in midcontinental bogs, *Limnol. Oceanogr.*, *33*(6 part 2), 1611-1617.

Urban, N. R., S. E. Bayley, and S. J. Eisenreich (1989), Export of dissolved organic carbon and acidity from peatlands, *Water Resour. Res.*, *25*(7), 1619-1628.

Urban, N. R., S. J. Eisenreich, and D. F. Grigal (1989), Sulfur cycling in a forested sphagnum bog in northern Minnesota, *Biogeochemistry*, *7*(2), 81-109.

Urban, N. R., S. J. Eisenreich, D. F. Grigal, and K. T. Schurr (1990), Mobility and diagenesis of Pb and 210Pb in peat, *Geochim. Cosmochim. Ac.*, *54*(12), 3329-3346, doi:10.1016/0016-7037(90)90288-V

Urban, N. R., E. S. Verry, and S. J. Eisenreich (1995), Retention and mobility of cations in a small peatland: trends and mechanisms, *Water Air Soil Poll.*, *79*(1-4), 201-224, doi:10.1007/BF01100438.

Urban, N. R., E. S. Verry, S. J. Eisenreich, D. F. Grigal, and S. D. Sebestyen (2011), Nutrient cycling in upland/peatland watersheds, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 213-241, CRC Press, Boca Raton, FL.

Vachon, R. W., J. W. C. White, E. Gutmann, and J. M. Welker (2007), Amount-weighted annual isotopic ($\delta^{18}O$) values are affected by the seasonality of precipitation: A sensitivity study, *Geophys. Res. Lett.*, *34*(21), L21707, doi:10.1029/2007gl030547.

Vachon, R. W., J. M. Welker, J. W. C. White, and B. H. Vaughn (2010), Moisture source temperatures and precipitation δ18O-temperature relationships across the United States, *Water Resour. Res.*, *46*(7), W07523, doi:10.1029/2009wr008558.

Verma, S. B., F. G. Ullman, D. P. Billesbach, R. J. Clement, J. Kim, and E. S. Verry (1992), Eddy correlation measurements of methane flux in a northern peatland ecosystem, *Boundary-Layer Meteorology*, *58*(3), 289-304, doi:10.1007/BF02033829.

Verma, S. B., F. G. Ullman, N. J. Shurpali, R. J. Clement, J. Kim, and D. P. Billesbach (1992), Micrometeorological measurements of methane and energy fluxes in a Minnesota peatland, *Suo*, *43*(4-5), 285-288.

Verma, S. B., J. Kim, R. J. Clement, N. J. Shurpali, and D. P. Billesbach (1995), Trace gas and energy fluxes: micrometeorological perspectives, in *Soils and global change*, edited by R. Lal, et al., pp. 361-376, CRC Press, New York, NY.

Vermette, S. J., S. E. Lindberg, and N. Bloom (1995), Field tests for a regional mercury deposition network--sampling design and preliminary test results, *Atmos. Environ.*, *29*(11), 1247-1251, doi:10.1016/1352-2310(94)00321-B.

Verry, E. S. The fate of ions in till, granite, and organic soil landscapes in Minnesota, edited, USDA Forest Service, Grand Rapids, MN.

Verry, E. S. (1969), Water storage and related physical characteristics of four mineral soils in north central Minnesota, Research note NC-78, 4 pp, USDA Forest Service, Saint Paul, MN.

Verry, E. S. (1969), 1968 vegetation survey of the Marcell Experimental Watersheds, Report GR-W2-61, 38 pp, USDA Forest Service, Grand Rapids, MN.

Verry, E. S. (1972), Effect of an aspen clearcutting on water yield and quality in northern Minnesota, in *Proceedings of a symposium on Watersheds in Transition held at Fort Collins, Colorado, June 19-22,1972*, edited by S. C. Csallany, et al., pp. 276-284, American Water Resources Association, Urbana, IL.

Verry, E. S. (1975), Streamflow chemistry and nutrient yields from upland-peatland watersheds in Minnesota, *Ecology*, *56*(5), 1149-1157, doi:10.1043/0012-9658(1975)056[1149:SCANYF]2.0.CO;2

Verry, E. S., and D. H. Boelter (1975), The influence of bogs on the distribution of streamflow from small bog-upland watersheds, in *International symposium on the hydrology of marsh-ridden areas. Proceedings of the Minsk symposium, Minsk, Byelorussia, June 1972*, edited, pp. 1-11, IAHS / UNESCO, Minsk, Byelorussia.

Verry, E. S. (1976), Estimating water yield differences between hardwood and pine forests, Research paper NC-128, 12 pp, USDA Forest Service, St. Paul, MN.

Verry, E. S., and D. R. Timmons (1976), Elements in leaves of a trembling aspen clone by crown position and season, *Can. J. Forest Res.*, *6*(3), 436-440, doi:10.1139/cjfr-6-3-436.
Verry, E. S., and D. R. Timmons (1977), Precipitation nutrients in the open and under two forests in Minnesota, *Can. J. Forest Res.*, *7*(1), 112-119.
Verry, E. S. (1978), The quiet crisis; wetlands and water, *Journal of Freshwater*, 36-37.
Verry, E. S., and A. E. Elling (1978), Two years necessary for successful natural seeding in nonbrushy black spruce bogs, Research Note NC-229, USDA Forest Service, Saint Paul, MN.
Verry, E. S., and D. H. Boelter (1979), Peatland hydrology, in *Wetland functions and values: the state of our understanding*, edited by P. E. Greeson, et al., pp. 389-402, American Water Resources Association, Minneapolis, MN.
Verry, E. S. (1981), Acidity of lakes and impoundments in north-central Minnesota, Research note NC-273, 4 pp, USDA Forest Service, Saint Paul, MN.
Verry, E. S. (1981), Water table and streamflow changes after stripcutting and clearcutting an undrained black spruce bog, in *Proceedings of the sixth International Peat Congress, 17-23 August 1980, Duluth, Minnesota*, edited, pp. 493-498, International Peat Society, Eveleth, Minnesota.
Verry, E. S. (1981), Hydrologie nicht entwässerter Moore in den Lake States, USA, *Telma*, *11*, 65-83.
Verry, E. S., and D. R. Timmons (1982), Waterborne nutrient flow through an upland-peatland watershed in Minnesota, *Ecology*, *63*(5), 1456-1467, doi:10.1043/0012-9658(1982)063[1456:WNFTAU]2.0.CO;2
Verry, E. S. (1983), Precipitation chemistry at the Marcell Experimental Forest in north central Minnesota, *Water Resour. Res.*, *19*(2), 454-462.
Verry, E. S. (1983), Water quality dynamics in shallow water impoundments of north central Minnesota, PhD dissertation thesis, 150 pp, Colorado State University, Fort Collins, CO.
Verry, E. S., J. R. Lewis, and K. N. Brooks (1983), Aspen clearcutting increases snowmelt and storm flow peaks in north central Minnesota, *Water Resour. Bull.*, *19*(1), 59-67, doi:10.1111/j.1752-1688.1983.tb04557.x.
Verry, E. S. (1984), Microtropography and water table fluctuation in a *Sphagnum* mire, in *Proceedings of the 7th International Peat Congress, Dublin, Ireland*, edited, pp. 11-31, The Irish National Peat Committee / The International Peat Society.
Verry, E. S. (1986), Forest harvesting and water: the Lake States experience, *Water Resour. Bull.*, *22*(6), 1039-1047.
Verry, E. S. (1987), The effect of aspen harvest and growth on water yield in Minnesota, in *Forest hydrology and watershed management - hydrologie forestière et aménagement des bassins hydrologiques*, edited, pp. 553-562, IAHS, Wallingford, UK.
Verry, E. S. (1987), Why study the Marcell?, *The Minnesota Volunteer*, *50*(294), 4247.
Verry, E. S. (1988), The hydrology of wetlands and man's influence on it, in *Proceedings on the International Symposium on the Hydrology of Wetlands in Temperate and Cold Regions*, edited, pp. 41-61, Academy of Finland, Helsinki, Finland.
Verry, E. S. (1988), Wetlands and water, *Water Qual. Bull.*, *13*(1), 17-20.

Verry, E. S., K. N. Brooks, and P. K. Barten (1988), Streamflow response from an ombrotrophic mire, in *Proceedings of the international symposium on the hydrology of wetlands in temperate and cold regions*, edited, pp. 52-59, International Peat Society / The Academy of Finland, Helsinki, Finland.

Verry, E. S., and A. R. Harris (1988), A description of low- and high-acid precipitation, *Water Resour. Res.*, *24*(4), 481-492.

Verry, E. S. (1991), Concrete frost in peatlands and mineral soils: northern Minnesota, in *Proceedings of the International Peat Symposium: Peat and peatlands: the resource and its utilization*, edited by D. N. Grubich and T. J. Malterer, pp. 121-141, International Peat Society, Duluth, MN.

Verry, E. S., and K. Nodop (1992), Hydrogen behaviour and ion concentrations in precipitation of Europe and the United States, *Environ. Pollut.*, *75*(2), 129-136, doi:10.1016/0269-7491(92)90032-6

Verry, E. S., and S. J. Vermette (1992), The deposition and fate of trace metals in our environment, General technical report NC-150, 171 pp, USDA Forest Service, Newtown Square, PA.

Verry, E. S., and S. J. Vermette (1992), The deposition and fate of trace metals in our environment: a summary, in *The deposition and fate of trace metals in our environment*, edited by E. S. Verry and S. J. Vermette, pp. 1-8, USDA Forest Service, Newtown Square, PA.

Verry, E. S., and N. R. Urban (1992/1993), Nutrient cycling at Marcell Bog, Minnesota, *Suo*, *43*(4-5), 147-153.

Verry, E. S. (1997), Hydrological processes of natural, northern forested wetlands, in *Northern forested wetlands ecology and management*, edited by C. C. Trettin, et al., pp. 163-188, CRC Lewis Publishers, New York, NY.

Verry, E. S. (1998), Cut-to-length timber demonstration draws over 300, NC News, 4 pp, USDA Forest Service, St. Paul, MN.

Verry, E. S., J. W. Hornbeck, and A. H. Todd (2000), Watershed research and management in the Lake States and northeastern United States, in *Land stewardship in the 21st century: the contributions of watershed management; conference proceedings, Tuscon, AZ, 13-16 March 2000*, edited by P. F. Ffolliott, et al., pp. 81-92, USDA Forest Service, Fort Collins, CO.

Verry, E. S. (2003), Ground water and small research basins: an historical perspective, *Ground Water*, *41*(7), 1005-1007, doi:10.1111/j.1745-6584.2003.tb02442.x.

Verry, E. S. (2003), Estimating ground water yield in small research basins, *Ground Water*, *41*(7), 1001-1004.

Verry, E. S., and R. K. Kolka (2003), Importance of wetlands to streamflow generation, in *Proceedings of the first interagency conference on research in the watersheds, 27-30 October 2003; Benson, AZ*, edited by K. G. Renard, et al., pp. 126-132, USDA Agricultural Research Service, Tuscan, AZ.

Verry, E. S. (2004), Land fragmentation and impacts to streams and fish in the central and upper midwest, in *Lessons for watershed research in the future; A century of forest and wildland watershed lessons*, edited by G. G. Ice and J. D. Stednick, pp. 129-154, Society of American Foresters, Bethesda, MD.

Verry, E. S., R. R. Bay, and D. H. Boelter (2011), Establishing the Marcell Experimental Forest: Threads in time, in *Peatland biogeochemistry and watershed hydrology at*

the Marcell Experimental Forest, edited by R. K. Kolka, et al., pp. 1-13, CRC Press, Boca Raton, FL.

Verry, E. S., D. H. Boelter, J. Päivänen, D. S. Nichols, T. J. Malterer, and A. Gafni (2011), Physical properties of organic soils, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 135-176, CRC Press, Boca Raton, FL.

Verry, E. S., K. N. Brooks, D. S. Nichols, D. R. Ferris, and S. D. Sebestyen (2011), Watershed hydrology, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 193-212, CRC Press, Boca Raton, FL.

Verry, E. S., and J. Jansenns (2011), Geology, vegetation, and hydrology of the S2 bog at the MEF: 12,000 years in northern Minnesota, in *Peatland biogeochemistry and watershed hydrology at the Marcell Experimental Forest*, edited by R. K. Kolka, et al., pp. 93-134, CRC Press, Boca Raton, FL.

Vose, J. M., C. R. Ford, S. H. Laseter, S. F. Dymond, G. Sun, M. B. Adams, S. D. Sebestyen, J. L. Campbell, C. Luce, D. M. Amatya, K. Elder, and T. Heartsill-Scalley (2012), Can forest watershed management mitigate climate change effects on water resources?, in *Revisiting experimental catchment studies in forest hydrology*, edited by A. A. Webb, et al., pp. 12-25, International Association of Hydrological Sciences, Wallingford, United Kingdom.

Waldron, S., J. Lansdown, E. M. Scott, A. E. Fallick, and A. J. Hall (1999), The global influence of the hydrogen isotope composition of water on that of bacteriogenic methane from shallow freshwater environments, *Geochim. Cosmochim. Ac.*, *63*(15), 2237-2245, doi:10.1016/S0016-7037(99)00192-1.

Walter, B. P., and M. Heimann (2010), A process-based, climate-sensitive model to dervice methane emissions from natural wetlands: application to five wetland sites, sensitivity to model parameters, and climate, *Global Biogeochem. Cy.*, *14*(3), 745-765.

Wania, R., I. Ross, and I. C. Prentice (2009), Integrating peatlands and permafrost into a dynamic global vegetation model: 1. Evaluation and sensitivity of physical land surface processes, *Global Biogeochem. Cy.*, *23*, GB3014, doi:10.1029/2008gb003412.

Weishampel, P., R. K. Kolka, and J. Y. King (2009), Carbon pools and productivity in a 1-km^2 heterogeneous forest and peatland mosaic in Minnesota, USA, *Forest Ecol. Manag.*, *257*(2), 747-754, doi:10.1016/j.foreco.2008.10.008.

Wells, G., D. Hayes, K. Krause, A. Bartuska, S. LeVan-Green, J. Anderson, T. Gough, M. B. Adams, T. Schuler, R. K. Kolka, S. D. Sebestyen, L. Kenefic, J. Brissette, S. Stout, K. Kanoti, F. Swanson, S. Greene, M. Herring, M. Ritchie, C. Skinner, T. E. Lisle, E. T. Keppeler, L. M. Reid, P. Wohlegemuth, S. Kitchen, W. McCaughey, J. Guldin, D. Bragg, M. Shelton, D. Loftis, C. Greenberg, and J. Murphy (2009), Experimental forests and ranges : 100 years of research success stories, General Technical Report FPL-182, USDA Forest Service, Madison, WI.

Wetmore, C. M. (1982), Lichen decomposition in a black spruce bog, *Lichenologist*, *14*(3), 267-271.

Wieder, R. K., M. Novák, W. R. Schell, and T. Rhodes (1994), Rates of peat accumulation over the past 200 years in five *Sphagnum*-dominated peatlands in

the United States, *Journal of Paleolimnology*, *12*(1), 35-47, doi:10.1007/BF00677988.

Wieder, R. K., and J. B. Yavitt (1994), Peatlands and global climate change: insights from comparative studies of sites situated along a latitudinal gradient, *Wetlands*, *14*(3), 229-238.

Wieder, R. K., J. B. Yavitt, C. E. Gasda, S. T. Starr, and C. J. Williams (1998), Tetrazolium (INT) reduction in acidic *Sphagnum*-derived peat -- A poor measure of terminal carbon mineralization, *Wetlands*, *18*(1), 79-83.

Williams, C. J., J. B. Yavitt, R. K. Wieder, and N. L. Cleavitt (1998), Cupric oxide oxidation products of northern peat and peat-forming plants, *Can. J. Bot.*, *76*(1), 51-62, doi:10.1139/cjb-76-1-51.

Yavitt, J. B., C. J. Williams, and R. K. Wieder (1997), Production of methane and carbon dioxide in peatland ecosystems across North America: Effects of temperature, aeration and organic chemistry of peat, *Geomicrobiol. J.*, *14*, 299-316.

Yavitt, J. B., C. J. Williams, and R. K. Wieder (2000), Controls on microbial production of methane and carbon dioxide in three *Sphagnum* dominated peatland ecosystems as revealed by a reciprocal field peat transplant experiment, *Geomicrobiol. J.*, *17*(1), 61 - 88, doi:10.1080/014904500270503

Yavitt, J. B., C. J. Williams, and R. K. Wieder (2005), Soil chemistry versus environmental controls on production of CH_4 and CO_2 in northern peatlands, *European Journal of Soil Science*, *56*(2), 169-178, doi:10.1111/j.1365-2389.2004.00657.x.

Yin, X., and S. J. Balogh (2002), Mercury concentrations in stream and river water: An analytical framework applied to Minnesota and Wisconsin (USA), *Water Air Soil Poll.*, *138*(1), 79-100, doi:10.1023/A:1015525729671.

Zhang, Y., C. Li, C. C. Trettin, H. Li, and G. Sun (2002), An integrated model of soil, hydrology, and vegetation for carbon dynamics in wetland ecosystems, *Global Biogeochem. Cy.*, *16*(4), 1-17, doi:10.1029/2001GB001838.